COLUMBIA

Hand Knit Fashions

price 50¢ | volume 114

CAREER GIRL

Shown on Cover

No. 1140

Instructions on Page 22

TRICOLOR

Shown on page 1

No. 1141

Instructions on Page 23

MARY LOUISE CUSTIS

Fashion Director

Accessories by B. Altman & Co.

Hats by Florence Reichman through courtesy of B. Altman & Co.

Color photography by Conant-Bradley

PRINTED IN U. S. A. FIRST EDITION

COPYRIGHT 1948—JAMES LEES AND SONS COMPANY

CITY BASQUE

No. 1142

ONE-PIECE DRESS
Sizes 12, 14 and 16

MATERIALS REQUIRED:

Columbia Marcelaine (1 ounce ball)

	Size 12	Size 14	Size 16
Appleberry No. 8116	36 Balls	38 Balls	40 Balls

OR

Columbia Colana (1 ounce ball)

	Size 12	Size 14	Size 16
	43 Balls	46 Balls	48 Balls

Knitting Needles: 2 Steel Circular Skirt Needles Standard Size 2—29 inch
1 Pair Standard Size 2—14 inch

Gauge: 8 Sts. to 1 inch

This garment can also be made in Columbia Fingering Yarn, Sports Yarn or Zephyrdown, using Size 3 Needles. For yarn amounts see Page 30.

SIZES: **12** **14** **16**

SKIRT—BACK: With Circular Needle cast on 330 Sts. Work back and forth in Stockinette St. for 1 inch, then P.1 row on right side for turn of hem. Continue in Stockinette St. until work measures 4 inches from P. row of hem (for 32 inch Skirt; for shorter or longer Skirt make adjustments here or between tiers), then decrease 8 Sts. across row as follows: *K.35, K.2 together, repeat from * 7 times more, K. to end of row (322 Sts. on Needle). Work 1 inch even (ending with P. row). Break yarn. With second Circular Needle cast on same number of Sts. (322 Sts.), work in Moss St. (see Page 32) for 12 rows for tier. To K. tier onto Skirt, place needle with tier Sts., in front of needle with Skirt Sts. (right side facing) and slip 1 St. from each needle alternately across row onto 1 needle, then K.2 together across row (322 Sts.).

Work in 2 more tiers 1 inch apart.

Work in Stockinette St., decreasing 8 Sts. on first K. row as before (having 1 St. less between decreases), then every 2¼ inches 2 times more (298 Sts. on Needle).

When work measures 14 inches from P. row of hem, work 3 tiers as before. Work in Stockinette St., decreasing 8 Sts. on first K. row, then every 1¼ inches 4 times more (258 Sts. on Needle).

When work measures 21 inches from P. row, work 3 tiers as before. Work in Stockinette St., decreasing 8 Sts. on first row, then every ¾ inch 7 times more (194 Sts. on Needle).

When work measures 29 inches, work 3 tiers as before. Work even in Stockinette St. for ¼ inch, then decrease as follows:

*K.5, K.2 together, repeat from * 26 times more, K. to end of row.

P.167 Sts.

*K.4, K.2 together, repeat from * 26 times more, K. to end of row.

P.140 Sts.

*K.2, K.2 together, repeat from * 11 times more, K.48, *K.2 together, K.2, repeat from * 10 times more.

P.117 Sts.

*K.1, K.2 together, repeat from *

7 times	4 times	1 time

more,

K.69	K.87	K.105

*K.2 together, K.1, repeat from * to end of row.

Next row—	P.101 Sts.	P.107 Sts.	P.113 Sts.

Bind off.

Work Front of Skirt the same.

BLOUSE—BACK: With Straight Needles cast on

98 Sts.	106 Sts.	114 Sts.

Work in Stockinette St., increasing 1 St. each side every 4th row 15 times.

Sts. on Needle:	128 Sts.	136 Sts.	144 Sts.

When work measures

8″	8″	8½″

To Shape Armholes: Bind off 4 Sts. at beginning of each of the next 2 rows, then 2 Sts. at beginning of next 4 rows, then decrease 1 St. each side every other row 3 times.

Sts. on Needle:	106 Sts.	114 Sts.	122 Sts.

When armhole measures

8″	8½″	8½″

To Shape Shoulders: Bind off

12 Sts.	13 Sts.	14 Sts.

at beginning of each of the next 6 rows, bind off remaining Sts. for back of neck.

LEFT FRONT: Cast on

67 Sts.	71 Sts.	75 Sts.

(10 Sts. for Facing)

Work in Stockinette St., increasing 1 St. at side edge every 4th row 15 times.

Sts. on Needle:	82 Sts.	86 Sts.	90 Sts.

When work measures same as Back to underarm,

To Shape Armhole: Bind off 4 Sts. at side edge, then 2 Sts. every other row 2 times, then decrease 1 St. every other row 3 times.

Sts. on Needle:	71 Sts.	75 Sts.	79 Sts.

(*continued on page 21*)

BERMUDA CHECKS

No. 1143

TWO-PIECE SUIT
Sizes 14, 16 and 18

MATERIALS REQUIRED:

Columbia Sports Yarn (2 ounce ball)

	Size 14	Size 16	Size 18
Cream Coffee No. 8415 (Dark Color)	8 Balls	9 Balls	10 Balls
White No. 8400 (Light Color)	4 Balls	5 Balls	6 Balls

OR

Columbia Heather Sports Yarn (2 ounce ball)

	Size 14	Size 16	Size 18
Dark Color	8 Balls	9 Balls	10 Balls
Light Color	4 Balls	5 Balls	6 Balls

OR

Columbia Fingering Yarn (2 ounce skein)

	Size 14	Size 16	Size 18
Dark Color	8 Skeins	9 Skeins	10 Skeins
Light Color	4 Skeins	5 Skeins	6 Skeins

OR

Columbia Zephyrdown (1 ounce ball)

	Size 14	Size 16	Size 18
Dark Color	12 Balls	14 Balls	15 Balls
Light Color	6 Balls	8 Balls	9 Balls

Knitting Needles: 1 Pair Standard Size 3—14 inch
1 Pair Standard Size 7—14 inch

Gauge: 8 Sts. to 1 inch (Stockinette St.—Size 3 Needles)
8 Sts. to 1 inch (Slip St. Pattern—Size 7 Needles)

1 Steel Crochet Hook Size 2

This garment can also be made in Columbia Catalina, Colana or Marcelaine, using Size 2 and Size 6 Needles. For yarn amounts see Page 30.

SIZES: 14 16 18

SKIRT—BACK: With double strand of Cream Coffee and Size 3 Needles cast on

230 Sts. 238 Sts. 246 Sts.

Work in Ribbing of K.1, P.1, for 6 rows, break 1 strand of yarn and fasten. With single strand work even in Stockinette St. for 8 inches (for 32 inch Skirt; for shorter or longer Skirt make adjustments).

Next row decrease 17 Sts. across row as follows: K.2 together,

K.14 K.18 K.15

*K.2 together,

K.12 K.12 K.13

repeat from * across, ending K.2 together,

K.14 K.18 K.15

K.2 together.

Continue to decrease in this manner every 4 inches, 4 times more (having 1 St. less between decreases every decreasing row).

Sts. on Needle: 145 Sts. 153 Sts. 161 Sts.

Work 2 inches even, then decrease 10 Sts. across row, then every 2 inches 2 times more, then every inch one time.

Sts. on Needle: 105 Sts. 113 Sts. 121 Sts.

Work even until Skirt measures 32 inches (or desired length).

Work in Ribbing of K.1, P.1, as follows:

Row 1—*K.1, P.1, repeat from * across, ending K.1.

Row 2—*P.1, K.1, repeat from * across, ending P.1.

Repeat these 2 rows 5 times more, bind off loosely in Ribbing.

Work Front of Skirt the same.

Sew side seams. Work casing for elastic (casing see Page 32) at inside of Ribbing at waist.

SLIP STITCH PATTERN: (Multiple of 2 Sts. plus 1)

Row 1—With Cream Coffee K.

Row 2—With Cream Coffee P.

Row 3—With White *K.1, slip 1, repeat from * across, ending K.1.

Row 4—With White *P.1, slip 1, repeat from * across, ending P.1.

Rows 5 and 6—Same as Rows 3 and 4.

Repeat from Row 1 for Pattern.

JACKET—BACK: With Cream Coffee and Size 7 Needles cast on

129 Sts. 137 Sts. 145 Sts.

Work even in Pattern St. for 1 inch. Decrease 1 St. each side, then every 6th row 11 times more (being careful to keep Pattern even).

Sts. on Needle: 105 Sts. 113 Sts. 121 Sts.

When work measures 8½ inches from start, increase 1 St. each side, then every 6th row 12 times more.

Sts. on Needle: 131 Sts. 139 Sts. 147 Sts.

When work measures 17 inches from start,

To Shape Armholes: Bind off 7 Sts. at beginning of each of the next 2 rows, then 3 Sts. at beginning of next 2 rows, then decrease 1 St. each side.

When armhole measures

7½" 8" 8½"

To Shape Shoulders: Bind off

11 Sts. 12 Sts. 13 Sts.

at beginning of each of the next 6 rows. Bind off remaining Sts. for back of neck.

(*continued on page 21*)

THE TAILORED LOOK

No. 1144

CROCHETED SUIT
Sizes 12, 14 and 16

MATERIALS REQUIRED:

Columbia Marcelaine (1 ounce ball)

	Size 12	Size 14	Size 16
Gala Blue No. 8117	35 Balls	37 Balls	39 Balls

1 Steel Crochet Hook Size 2

Gauge: 2 Patterns to 1 inch
4 rows to 1 inch

PATTERN STITCH: (Multiple of 4 Chains plus 1)

Row 1—*Skip 1 Ch., 1 S.C. in next Ch., skip 1 Ch., 3 D.C. (Shell) in next Ch., repeat from * across row, Ch.1, turn.

Row 2—*1 S.C. in center St. of 3 D.C. Shell of row below, 3 D.C. in next S.C., repeat from * across row, Ch.1, turn. Repeat Row 2 for Pattern.

SIZES:	**12**	**14**	**16**

SKIRT: (Made in 4 Gores) Ch.

101 105 109

Ch. should measure

12½″ 13″ 13½″

Work even in Pattern Stitch

25 Patterns 26 Patterns 27 Patterns

for 9 inches. Decrease 1 Pattern by omitting first S.C. in next 2 rows, then start rows with 3 D.C. and end with 1 S.C. for 2 inches. Decrease 1 Shell on next 2 rows by working Row 2 of Pattern St. again.

Continue to decrease 1 Pattern in this manner every 2 inches 4 times more, then every 3 inches 2 times.

Hipline—25 inches from start—

17 Patterns 18 Patterns 19 Patterns

across row. Decrease as before, every 2 inches 2 times more, then every inch 2 times.

13 Patterns 14 Patterns 15 Patterns

across row. Break yarn and fasten.

Work 3 more Gores the same.

Sew seams (½ inch from edge), leaving 7 inches open at left side for placket. Work 1 row of S.C. around waist and lower edge of Skirt. Sew skirt belting at inside of waist. Sew slide fastener in placket opening.

JACKET—BACK: Ch.

125 129 137

Ch. should measure

15½″ 16″ 17″

long

31 Patterns 32 Patterns 34 Patterns

across row. Work even in Pattern St. for 1 inch. Decrease 1 Pattern (on next 2 rows as in Skirt), then every inch 5 times more,

25 Patterns 26 Patterns 28 Patterns

When work measures 7 inches from start, increase 1 Pattern (on next 2 rows), then every 1½ inches

4 times 3 times 3 times

more, then every inch

..... 2 times 2 times
30 Patterns 32 Patterns 34 Patterns

across row.

When work measures

14½″ 14½″ 15″

(or desired length) to underarm,

To Shape Armholes: Work across row to within last Pattern, Ch.1, turn (decreasing 1 Pattern).

On next row work across to within last Pattern, Ch.1, turn. Work even until armhole measures

8½″ 8½″ 9″

break yarn and fasten.

LEFT FRONT: Ch.

69 73 77

Ch. should measure

8½″ 9″ 9½″
17 Patterns 18 Patterns 19 Patterns

Work front edge even and decrease 3 Patterns at side edge to correspond with Back

14 Patterns 15 Patterns 16 Patterns

When work measures 7 inches from start, increase across next row as follows: Starting 2 inches from front edge, increase 4 Patterns by working 8 Patterns across next 4 Patterns. Increase ½ Pattern at side edge, then every 1½ inches

4 times 3 times 3 times

more, then every inch

1 time 2 times 2 times
21 Patterns 22 Patterns 23 Patterns

across row.

When work measures same as Back to underarm,

To Shape Armhole: Work across to within last Pattern, turn.

Work even until front edge measures

16″ 16″ 16½″

from start,

To Shape Neck: Decrease ½ Pattern at front edge every other row 2 times, then every row until

10 Patterns 11 Patterns 12 Patterns

remain. When armhole measures same as at Back, break yarn and fasten.

(*continued on page 25*)

SHEATH SILHOUETTE

No. 1145

Sizes 14, 16 and 18
Two-Piece Dress
original knitted of Columbia Catalina
Designed by AUDREA of Hollywood

MATERIALS REQUIRED:

Columbia Catalina (1 ounce skein)

	Size 14	Size 16	Size 18
Arras No. 7339 (Dark Color)	23 Skeins	25 Skeins	27 Skeins
White No. 7318 (Light Color)	10 Skeins	11 Skeins	12 Skeins

OR

Columbia Marcelaine (1 ounce ball)

	Size 14	Size 16	Size 18
Dark Color	20 Balls	21 Balls	23 Balls
Light Color	9 Balls	10 Balls	11 Balls

OR

Columbia Colana (1 ounce ball)

	Size 14	Size 16	Size 18
Dark Color	23 Balls	25 Balls	27 Balls
Light Color	10 Balls	11 Balls	12 Balls

Beads—Approximately 800 White Glass Beads

Knitting Needles: 1 Pair Standard Size 2—14 inch
1 Steel Circular Skirt Needle Standard Size 2—29 inch

Gauge: 8 Sts. to 1 inch

1 Steel Crochet Hook Size 2

SIZES:	**14**	**16**	**18**

SKIRT: With Arras cast on

400 Sts. 410 Sts. 420 Sts.

Join, being careful not to twist Sts. Knit around for 2 inches. Next row decrease 10 Sts. by *K.2 together,

K.38 K.39 K.40

repeat from * around.

Decrease 10 Sts. every 2 inches (having 1 St. less between decreases) 9 times more (for 32 inch Skirt; for shorter or longer Skirt make adjustments), then decrease 10 Sts. every inch 12 times.

Sts. on Needle: 180 Sts. 190 Sts. 200 Sts.

When Skirt measures 32 inches from start (or desired length), work in Ribbing of K.1, P.1, for 1½ inches for waistband. Bind off.

Crochet casing for elastic (see Page 32) inside of waistband. Work 2 rows of S.C. around lower edge of Skirt.

BLOUSE—FRONT: With Arras cast on

136 Sts. 144 Sts. 152 Sts.

Work in Stockinette St. Place 1 marker 44 Sts. from each side, then decrease as follows: At outside edge decrease 1 St. each side every ¾ inch 8 times and at markers decrease 1 St. each side of marker every inch 4 times.

Sts. on Needle: 104 Sts. 112 Sts. 120 Sts.

When work measures 6¾ inches from start, increase

22 Sts. 21 Sts. 20 Sts.

across row (increase 1 St. in about every 5th St.).

Sts. on Needle: 126 Sts. 133 Sts. 140 Sts.

When work measures 7 inches from start, join White and work as follows:

Row 1—With White

K.18 K.19 K.20

drop White Strand but do not break, with Arras K. to last

18 Sts. 19 Sts. 20 Sts.

join another ball of White and K. to end of row.

Row 2—White

P.18 Sts. P.19 Sts. P.20 Sts.

pick up Arras Strand from underneath the White Strand (twisting Strands when changing color), P. across to last

18 Sts. 19 Sts. 20 Sts.

pick up White Strand, P. to end of row. Continue to work in this manner for 1¾ inches, then work next

18 Sts. 19 Sts. 20 Sts.

each side with White for 1¾ inches 2 times more, then work all Sts. with White and at the same time when work measures 8 inches from start, increase 1 St. each side, then every ¾ inch 10 times more.

Sts. on Needle: 148 Sts. 155 Sts. 162 Sts.

When work measures 15 inches from start,

To Shape Armholes: Bind off 10 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 9 times.

Sts. on Needle: 110 Sts. 117 Sts. 124 Sts.

When work measures 20 inches from start (measured at center),

To Shape Neck: Bind off

30 Sts. 37 Sts. 36 Sts.

at center. Working each Shoulder separate, work even for

3" 3¼" 3½"

To Shape Shoulder: Bind off

10 Sts. 10 Sts. 11 Sts.

at armhole edge every other row 4 times.

BACK: With Arras cast on and work decreases same as for Front.

Sts. on Needle: 104 Sts. 112 Sts. 120 Sts.

(continued on page 26)

THEATRE BLACK

No. 1146

DINNER DRESS
Sizes 12, 14 and 16

MATERIALS REQUIRED:

Columbia Marcelaine (1 ounce ball)

	Size 12	Size 14	Size 16
Black No. 8114	30 Balls	32 Balls	34 Balls

OR

Columbia Colana (1 ounce ball)

	Size 12	Size 14	Size 16
	36 Balls	39 Balls	41 Balls

Knitting Needles: 1 Pair Standard Size 1—14 inch
1 Pair Standard Size 5—14 inch

Gauge: 9 Sts. to 1 inch (Stockinette St.)
5 Sts. to 1 inch (Lace Pattern—Size 5 Needles)

1 Steel Crochet Hook Size 2

SIZES:	**12**	**14**	**16**

SKIRT: (Made in 4 Panels) With Size 1 Needles cast on 190 Sts. Work in Stockinette St. for ¾ inch, P.1 row on right side of work for turn of hem, then continue in Stockinette St.

Work even for 4 inches (for 32 inch Skirt; for shorter or longer Skirt make adjustments), then work decreases across and at each side as follows: Decrease 5 Sts. across next row by *K.30, K.2 together, repeat from * 4 times more, K.30.

Repeat decreases across row every 3 inches 5 times more (having 1 St. less between decreases every decreasing row), then every 2 inches 3 times, every inch 4 times, every ½ inch 3 times and at the same time decrease 1 St. each side every inch

	22 times	20 times	18 times
Sts. on Needle:	66 Sts.	70 Sts.	74 Sts.

When Panel measures 32 inches from start (or desired length), bind off.

Work 3 more Panels the same.

Sew seams, leaving 5 inches open at left side for placket. Turn up hem and sew. Gather fullness at top edge to fit waist by working 1 row of S.C. around.

BLOUSE—BACK: With Size 1 Needles cast on

112 Sts.	119 Sts.	126 Sts.

Work in Stockinette St., increasing 1 St. each side every 4th row

	16 times	17 times	18 times
Sts. on Needle:	144 Sts.	153 Sts.	162 Sts.

When work measures

8″	8½″	9″

(measured straight from start), P.1 row on right side of work for turn of hem, work 4 rows more, bind off.

FRONT: Work same as Back.

Sew underarm seams, leaving 4 inches open on left side for placket. Turn down hem and sew. Insert elastic in hem.

LACE PATTERN STITCH: (Multiple of 4 Sts.)

Row 1—P. (right side of work).

Row 2—*Increase 2 Sts. in first St. (by K.1, P.1, K.1, on front loop of St.), K. next 3 Sts. together, repeat from * across row.

Row 3—P.

Row 4—*K.3 Sts. together, increase 2 Sts. in next St. as in Row 2, repeat from * across row. Repeat the 4 rows for Pattern St.

LACE YOKE AND SLEEVES: Starting at cuff edge of Right Sleeve, with Size 5 Needles cast on

36 Sts.	36 Sts.	40 Sts.

Work in Pattern St. for 2 inches even. Increase 1 St. each side on next P. row, then every 4th row

21	23	29

times more, being careful to keep Pattern St. even.

Mark 18 inches from start for underarm (or desired length for Sleeve). Work 8 inches (or desired length) even for Right Shoulder of Yoke, then divide Sts. for Back and Front. Slip Sts. of Back on St. Holder, on remaining Sts. work as follows:

To Shape Neck: Bind off 4 Sts. (starting from center of Shoulder), then decrease 1 St. every other row 8 times, work even for 4 rows, increase 1 St. every other row 8 times, cast on 4 Sts. Slip Sts. on St. Holder.

Back of Yoke: Bind off 2 Sts. at center of Shoulder, work even for 20 rows. Bind off 24 Sts. at neck edge for back opening, work to end of row, then on next row cast on the 24 Sts. again and work even for 20 rows, cast on 2 Sts. at neck edge. Join all Sts. of Yoke, then work 8 inches even for Left Shoulder. Work decreases for Left Sleeve to correspond with increases on Right Sleeve. Work 2 inches even, bind off.

Sew sleeve seams, leaving 2 inches open at cuff. Work 1 row of S.C. at opening of Back and Sleeves and 2 rows of S.C. at cuff edge.

Neckband: With Size 1 Needles cast on 10 Sts. Work in Stockinette St. as follows:

Row 1—Increase 1 St. in first St., K.7, K.2 together.

Row 2—P.

Repeat the 2 rows for 14 inches. Bind off. Fold and sew around neck edge.

Sew top edge of Front and Back over edge of Lace Yoke. Sew Blouse over top edge of Skirt (easing in fullness of Skirt). Sew slide fastener in Placket. Sew grosgrain ribbon to inside of waistline. Sew snap fasteners in back opening and cuffs.

CONTINENTAL CLASSIC

No. 1147

Sizes 14, 16 and 18
One-Piece Dress
original knitted of Columbia Colana
Designed by AUDREA of Hollywood

MATERIALS REQUIRED:

Columbia Colana (1 ounce ball)

	Size 14	Size 16	Size 18
Ferrara No. 8287	29 Balls	32 Balls	35 Balls

OR

Columbia Marcelaine (1 ounce ball)

Size 14	Size 16	Size 18
25 Balls	27 Balls	30 Balls

Knitting Needles: 1 Pair Standard Size 2—14 inch
1 Steel Circular Skirt Needle Standard Size 2—29 inch

Gauge: 8 Sts. to 1 inch

1 Steel Crochet Hook Size 2

This garment can also be made in Columbia Sports Yarn, Fingering Yarn or Zephyrdown, using Size 3 Needles. For yarn amounts see Page 30.

SIZES: **14** **16** **18**

SKIRT: With Circular Needle cast on 480 Sts., join, being careful not to twist Sts., then work in Pattern St. as follows:

Row 1—P.9 *cross next 2 Sts. by K. the second St. in front, then K. the first St., P.18, repeat from * around, ending P.9.

Row 2—P.9, *K.2, P.18, repeat from * around, ending P.9.

Row 3—P.8, *cross the next 2 Sts. (by K. the Second St. in front, P. the first St.), cross the next 2 Sts. (by slip the first St. on a St. Holder, place in front of work, P. the second St., then K. the first St. from St. Holder), P.16, repeat from * around, ending P.8.

Row 4—P.8, *K.1, P.2, K.1, P.16, repeat from * around, ending P.8.

Row 5—P.7, *cross next 2 Sts. (as in Row 3), P.2, cross next 2 Sts. (4 P. Sts. between K. Sts.), P.14, repeat from * around, ending P.7.

Row 6—P.7, *K.1, P.4, K.1, P.14, repeat from * around, ending P.7. Continue in this manner, crossing the K. Sts. every other row for 1½ Diamond Patterns (56 rows from start), ending in center of point, then divide Sts. in Panels as follows:

Row 1—**Work Pattern as before on first 20 Sts., *slip next K. St. on St. Holder, K. next St., K. the St. from St. Holder, P.16, cross next 2 Sts. by K. the second St., then K. the first St., repeat from * 6 times more (7 Patterns in Front Panel). Work Pattern on next 20 Sts. as on first 20 Sts. of row, repeat from * for 3 Patterns (60 Sts.) for Side Panel, then repeat from ** for second half of Skirt.

Mark the four 20 St. Panels to be continued to top of Skirt and change the P. Sts. to K. Sts. between Diamonds until the points are completed, then work all Sts. in Front, Back and Side Panels in Stockinette St.

When work measures

8″	8″	10″

from start, decrease as follows: Decrease 8 Sts. across Front and Back Panels (K. every 14th and 15th St. together) and decrease 2 Sts. in each Side Panel (20 Sts. decreased).

Continue to decrease in this manner (having 1 St. less between decreases in Front and Back Panels) every 2 inches

7 times	9 times	9 times

more, then every 1 inch

2 times	1 time	.....

then decrease 6 Sts. in Front and Back Panels and 2 Sts. in each Side Panel (decreasing 16 Sts.) every 1½ inches

2 times	2 times	.....

then every 1 inch

2 times	.....	2 times

On next row decrease

	1 St. in each Panel	1 St. in each Panel	2 Sts. in each Panel
Sts. on Needle:	212 Sts.	224 Sts.	240 Sts.

When Skirt measures 32 inches (or desired length), bind off.

BLOUSE—BACK: With Straight Needles cast on

	106 Sts.	112 Sts.	120 Sts.
Row 1—	K.18	K.21	K.25

P.9, cross 2 Sts. as in Row 1 of Skirt, P.9 (1 Pattern), K.30 (Center Panel), P.9, cross 2 Sts., P.9 (1 Pattern),

	K.18	K.21	K.25
Row 2—	P.18	P.21	P.25

K.9, P.2, K.9, P.30, K.9, P.2, K.9,

	P.18	P.21	P.25
Row 3—	K.18	K.21	K.25

P.8, cross 2 Sts., cross next 2 Sts. (as in Row 3 of Skirt), P.8, K.30, P.8, cross 2 Sts., cross next 2 Sts., P.8,

	K.18	K.21	K.25
Row 4—	P.18	P.21	P.25

K.8, P.1, K.2, P.1, K.8, P.30, K.8, P.1, K.2, P.1, K.8,

	P.18	P.21	P.25

Continue to work 1 Pattern each side to Yoke and increase as follows:

In Center Panel increase 2 Sts. (increasing 1 St. in 2nd St. from each side of Panel) every inch 5 times and at side edges increase 1 St. each side every ¾ inch 8 times.

Sts. on Needle:	132 Sts.	138 Sts.	146 Sts.

When work measures 8 inches from start,

To Shape Armholes: Decrease 1 St. each side every row

12 times	13 times	14 times

(*continued on page 26*)

MANHATTAN BOLERO

No. 1148

TWO-PIECE BOLERO SUIT
Sizes 12, 14 and 16

MATERIALS REQUIRED:

Columbia Fingering Yarn (2 ounce skein)

	Size 12	Size 14	Size 16
Miami Beige No. 8518	8 Skeins	9 Skeins	10 Skeins

OR

Columbia Sports Yarn (2 ounce ball)

Size 12	Size 14	Size 16
9 Balls	10 Balls	11 Balls

OR

Columbia Zephyrdown (1 ounce ball)

Size 12	Size 14	Size 16
13 Balls	14 Balls	16 Balls

Knitting Needles: 1 Pair Standard Size 3—14 inch
1 Steel Circular Skirt Needle Standard Size 3—29 inch

Gauge: 8 Sts. to 1 inch

1 Steel Crochet Hook Size 4

This garment can also be made in Columbia Catalina, Colana or Marcelaine, using Size 2 Needles. For yarn amounts see Page 30.

SIZES:	**12**	**14**	**16**

SKIRT: With Circular Needle cast on

552 Sts. 564 Sts. 576 Sts.

Join, being careful not to twist Sts. P.1 row, then work as follows:

Row 1— K.26 K.27 K.28

*P.40,

K.52 K.54 K.56

repeat from * around, ending

K.26 K.27 K.28

Repeat Row 1 for 1 inch.

First decreasing row:

K.25 K.26 K.27

*slip 1, K.1, P.S.S.O., P.38, K.2 together,

K.50 K.52 K.54

repeat from * around, ending

K.25 K.26 K.27

Next row:

K.26 K.27 K.28

*P.38,

K.52 K.54 K.56

repeat from * around, ending

K.26 K.27 K.28

Repeat last row for 2 inches.

Second decreasing row:

K.25 K.26 K.27

*slip 1, K.1, P.S.S.O., P.36, K.2 together,

K.50 K.52 K.54

repeat from * around, ending

K.25 K.26 K.27

Next row:

K.26 K.27 K.28

*P.36,

K.52 K.54 K.56

repeat from * around, ending

K.26 K.27 K.28

Continue to decrease 12 Sts. in this manner every inch until all P. Sts. are worked off. K. all Sts. for 1 inch.

Next row:

K.26 K.27 K.28

*place marker on needle (over P. Panel)

K.52 K.54 K.56

repeat from * around (6 markers), ending

K.26 K.27 K.28

Decrease as before (slip 1, K.1, P.S.S.O., before and K.2 together after each of the 6 markers) every inch 6 times.

Sts. an Needle: 240 Sts. 252 Sts. 264 Sts.

K. even until Skirt measures 32 inches (or desired length), then with Crochet Hook work 1 S.C. in each St. over narrow elastic for 2 rows. Break yarn and fasten. Work 1 row of S.C. around lower edge of Skirt.

BOLERO—BACK: With Straight Needles cast on

136 Sts. 144 Sts. 152 Sts.

Work in Stockinette St. for 1 inch, ending with K. row. Next row K. (reversing Stockinette St., 1 inch P. Border on right side of work). Continue in Stockinette St. until work measures

8″ 8″ 8½″

(or desired length to underarm).

To Shape Armholes: Bind off 6 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 14 times.

Sts. on Needle: 96 Sts. 104 Sts. 112 Sts.

When armhole measures

7½″ 8″ 8½″

(*continued on page 27*)

LONDON TUNIC

No. 1149

TWO-PIECE TUNIC DRESS
Sizes 14, 16 and 18

MATERIALS REQUIRED:

Columbia Catalina (1 ounce skein)

	Size 14	Size 16	Size 18
Miami Beige No. 7311 (Light Color)	32 Skeins	35 Skeins	38 Skeins
Jacobean No. 7349 (Dark Color)	3 Skeins	3 Skeins	3 Skeins

OR

Columbia Marcelaine (1 ounce ball)

	Size 14	Size 16	Size 18
Light Color	27 Balls	30 Balls	32 Balls
Dark Color	3 Balls	3 Balls	3 Balls

OR

Columbia Colana (1 ounce ball)

	Size 14	Size 16	Size 18
Light Color	32 Balls	35 Balls	38 Balls
Dark Color	3 Balls	3 Balls	3 Balls

Knitting Needles: 1 Pair Standard Size 3—14 inch

Gauge: 7 Sts. to 1 inch

1 Steel Crochet Hook Size 2

SIZES:	**14**	**16**	**18**

SKIRT—FRONT: With Light Color cast on

160 Sts. 167 Sts. 174 Sts.

Work in Stockinette St. even for 7 inches (for 32 inch Skirt; for shorter or longer Skirt make adjustments). Next row decrease 5 Sts. across as follows:

*K.25 *K.26 *K.27

K.2 together, repeat from * 4 times more, ending

K.25 K.27 K.29

Decrease 5 Sts. across row every 3 inches 6 times more, then every inch 7 times, bind off remaining

90 Sts. 97 Sts. 104 Sts.

Work Back the same.

Sew seams, leaving 7 inches open at left side for placket, sew skirt belting to waistline. Work 1 row of S.C. around lower edge of Skirt. Sew slide fastener in placket.

BLOUSE—(Made in 4 sections) LEFT FRONT:

With Light Color cast on

46 Sts. 50 Sts. 54 Sts.

Work side edge even and increase 1 St. at front edge (at beginning of P. row) every 4th row 21 times and at end of same P. row as last increase cast on 110 Sts. for Left Sleeve.

Sts. on Needle: 177 Sts. 181 Sts. 185 Sts.

Work even at cuff edge for 3½ inches (continuing to increase at front edge every 4th row 22 times more) and at the same time decrease 1 St. (K.2 together) every 4th row 24 times

65 Sts. 69 Sts. 73 Sts.

from front edge at armhole line. When cuff edge measures 3½ inches, bind off 3 Sts. (at cuff edge) every other row 21 times, then 4 Sts. every other row

10 times 11 times 12 times

(72 Sts. on Needle). Bind off 24 Sts. every other row 3 times.

Work Right Front to correspond, having increases and decreases at opposite sides.

BACK: Work 2 Sections same as for Front.

Join 2 Sections for Back, sewing seam at center. Join Fronts, sewing seam for about 9 inches to V. neck. Join Front and Back, sewing seam at center of each Shoulder and Sleeve to 1¼ inches from center seam of Back. Turn neck edge of Fronts under for hem, tapering to point at V. Sew hem across back of neck. Sew sleeve and underarm seams, leaving 4 inches open at left side for placket.

PEPLUM—FRONT: With Light Color cast on 204 Sts. Work in Stockinette St. for ¾ inch, P.1 row on right side for turn of hem, work 5 rows in Stockinette St. Join Dark Color and work Border Design from Chart (see Page 29) for 37 rows. Break dark strand, then continue with Light Color for ½ inch even. Next row decrease 10 Sts. across as follows: K.2 together, K.8, *K.2 together, K.24, repeat from * 6 times more, K.2 together, K.8, K.2 together. Continue to decrease 10 Sts. in this manner (having 1 St. less between decreases every decreasing row) every inch 3 times more, then every ¾ inch 4 times (124 Sts. on Needle).

Discontinue the decreases at each side, decreasing 6 Sts. over previous decreases across every ¾ inch

	5 times	4 times	3 times
Sts. on Needle:	94 Sts.	100 Sts.	106 Sts.

When work measures 15 inches from P. row of hem, bind off. Work Back of Peplum the same.

Sew seam at each side, leaving 3 inches open at left side for placket. Turn up hem and sew. Sew Blouse over top edge of Peplum, forming point at center Front and Back. Sew slide fastener in placket.

VOYAGEUR

No. 1150

Two-Piece Dress
Sizes 12, 14 and 16
original knitted of Columbia Catalina
Designed by AUDREA of Hollywood

MATERIALS REQUIRED:

Columbia Catalina (1 ounce skein)

	Size 12	Size 14	Size 16
Light Navy No. 7323 (Color 1)	21 Skeins	23 Skeins	25 Skeins
White No. 7318 (Color 2)	6 Skeins	6 Skeins	6 Skeins
Mexicana No. 7344 (Color 3)	1 Skein	1 Skein	1 Skein

OR

Columbia Colana (1 ounce ball)

	Size 12	Size 14	Size 16
Color 1	21 Balls	23 Balls	25 Balls
Color 2	6 Balls	6 Balls	6 Balls
Color 3	1 Ball	1 Ball	1 Ball

OR

Columbia Marcelaine (1 ounce ball)

	Size 12	Size 14	Size 16
Color 1	18 Balls	20 Balls	21 Balls
Color 2	5 Balls	5 Balls	5 Balls
Color 3	1 Ball	1 Ball	1 Ball

Knitting Needles: 1 Pair Standard Size 3—14 inch
1 Steel Circular Skirt Needle Standard Size 3—29 inch

Gauge: 7 Sts. to 1 inch

1 Steel Crochet Hook Size 2

This garment can also be made in Columbia Fingering Yarn or Sports Yarn, using Size 4 Needles. For yarn amounts see Page 30.

SIZES:	**12**	**14**	**16**

SKIRT—(Made in 6 Panels with 6 slits at lower edge). With Light Navy and Circular Needle cast on

62 Sts. 64 Sts. 66 Sts.

(1 Panel) and work as follows:

Row 1—P.1, K. across to last St., P.1.

Row 2—K.1, P. across to last St., K.1.

Repeat these 2 rows for 2 inches.

Leaving these Sts. on needle, start 5 more Panels the same. Next row join Sts., being careful not to twist Panels.

Sts. on Needle: 372 Sts. 384 Sts. 396 Sts.

Continue to work in

K.60 K.62 K.64

P.2 Panels until work measures 3 inches from start (for 32 inch Skirt; for shorter or longer Skirt make adjustments). Next row decrease 12 Sts. as follows:

*K.14 *K.15 *K.16

K.2 together, K.28, K.2 together,

K.14 K.15 K.16

P.2, repeat from * 5 times around. Continue to decrease 12 Sts. in this manner (having decreases over previous decreases) every 3 inches 4 times more, then every 2 inches 5 times.

Sts. on Needle: (Hipline—25 inches from start)

252 Sts. 264 Sts. 276 Sts.

Decrease 12 Sts. every inch 6 times.

Sts. on Needle: 180 Sts. 192 Sts. 204 Sts.

When Skirt measures 32 inches (or desired length), work in Ribbing of K.1, P.1, for 1 inch, bind off.

Crochet casing for elastic (casing see Page 32) inside of Ribbing. Work 2 rows of S.C. around each Panel at lower edge of Skirt.

BLOUSE—FRONT: With Light Navy and Straight Needles cast on

110 Sts. 118 Sts. 126 Sts.

Work in Stockinette St. and decrease as follows: Decrease 1 St. each side every 6th row 6 times and at the same time after 3rd decrease place marker 36 Sts. from each side and decrease 1 St. each side of each marker, then every 2 inches 2 times more and when work measures 4½ inches from start, work first Pattern Stripe at Right underarm as follows:

Row 1—With Light Navy K. to last 3 Sts., K.2 together through back of Sts., K.1, with Mexicana cast on 1 St.

Row 2—Mexicana P.1, Light Navy P. to end of row.

Row 3—Light Navy K. to last 4 Sts., K.2 together through back of Sts., K.1, Mexicana increase 1 St. in last St.

Row 4—Mexicana P.2, Light Navy P. to end of row.

Row 5—Light Navy K. to last 5 Sts., K.2 together in back of Sts., K.1, Mexicana K.2, White cast on 1 St.

Row 6—White P.1, Mexicana P.2, Light Navy P. to end of row.

Row 7—Light Navy K. to last 6 Sts., K.2 together in back of Sts., K.1, Mexicana K.2, White increase 1 St. in last St

Row 8—White P.2, Mexicana P.2, Light Navy P. to end of row.

Row 9—Light Navy K. to last 7 Sts., K.2 together in back of Sts., K.1, Mexicana K.2, White K.1, increase 1 St. in next St.

Row 10—White P.3, Mexicana P.2, Light Navy P. to end of row. Continue to decrease 1 Light Navy St. and increase 1 White St. in this manner until White Stripe measures 2 inches (measured straight from start), then continue Mexicana across White Sts., (decreasing and increasing 1 St. as before) until there are 4 rows of Mexicana.

(*continued on page 28*)

CALIFORNIAN

No. 1151

ONE-PIECE DRESS
Sizes 12, 14 and 16
(Shown on back cover)

MATERIALS REQUIRED:

Columbia Marcelaine (1 ounce ball)

	Size 12	Size 14	Size 16
China Turquoise No. 8105	30 Balls	33 Balls	36 Balls

Silver Thread—3 Spools

OR

Columbia Colana (1 ounce ball)

Size 12	Size 14	Size 16
37 Balls	40 Balls	43 Balls

Silver Thread—3 Spools

OR

Columbia Catalina (1 ounce skein)

Size 12	Size 14	Size 16
37 Skeins	40 Skeins	43 Skeins

Silver Thread—3 Spools

Knitting Needles: 1 Pair Standard Size 1—14 inch
1 Steel Circular Skirt Needle Standard Size 1—29 inch

Gauge: 9 Sts. to 1 inch

1 Steel Crochet Hook Size 2

SIZES:	**12**	**14**	**16**

SKIRT: With Circular Needle cast on

725 Sts. 754 Sts. 783 Sts.

Work in Moss St. (see Page 32) for 5 rows, join, being careful not to twist Sts., then work pleats as follows:

Row 1—*P.4, K.12, slip 1, K.12, repeat from * around.

Row 2—*P.4, K.25, repeat from * around

(25 pleats) (26 pleats) (27 pleats)

Repeat Rows 1 and 2 for 3 inches.

Decrease in next Row 1 of Pattern as follows:

*P.4, K.10, K.2 together, slip 1, K.12, repeat from * around.

Row 2—*P.4, K.24, repeat from * around.

Row 3—*P.4, K.11, slip 1, K.12, repeat from * around.

Repeat Rows 2 and 3 for 3 inches.

Decrease in next Row 3 as follows:

*P.4, K.11, slip 1, K.2 together, K.10, repeat from * around.

Row 4—*P.4, K.23, repeat from * around.

Row 5—*P.4, K.11, slip 1, K.11, repeat from * around.

Continue to decrease alternately in this manner every 3 inches 2 times more, then every 2½ inches 3 times, every 1½ inches 2 times, every inch 6 times, then every ½ inch 3 times (18 decreases from start), at the same time when Skirt measures 25 inches from start (or 7 inches less than desired length), work back and forth for placket opening, dividing Sts. in P.4 section, also 2 inches after start of placket opening decrease 1 St. in each P.4 section (except at start and end of row).

After last decrease work as follows:

Row 1—P.2, *K.3, slip 1, K.3, P.3, repeat from * around, ending P.2.

Row 2—K.2, *P.7, K.3, repeat from * around, ending K.2. Repeat last 2 rows until Skirt measures 32 inches (or desired length), bind off.

BLOUSE—FRONT: On Straight Needles cast on

104 Sts. 112 Sts. 120 Sts.

Work in Stockinette St., increasing 1 St. each side every other row 26 times, then every row 4 times. Cast on 2 Sts. at beginning of next 4 rows, then 4 Sts. at beginning of next 4 rows.

Sts. on Needle:	188 Sts.	196 Sts.	204 Sts.

Cast on 42 Sts. at beginning of each of the next 2 rows.

Sts. on Needle:	272 Sts.	280 Sts.	288 Sts.

Work even until work measures 8 inches from start (measured at center).

Next K. row P.8 center Sts., then divide Sts. for neck opening as follows: P. to center 8 Sts., K.4, slip remaining Sts. on St. Holder and work Right Front. Work even for 6 inches (always P. the 4 Sts. at neck edge on right side and K. the 4 Sts. on wrong side).

To Shape Neck: Bind off 12 Sts. at center edge, then 2 Sts. every other row 4 times, then decrease 1 St. every other row 4 times. Work 1 inch even, then decrease 1 St. at armhole edge every row 6 times.

To Shape Shoulder: (for pleats) On first 30 Sts. (at armhole edge) decrease 1 St. every other row at outer edge and 1 St. every row at inner edge until all Sts. are worked off. Decrease next 26 Sts. in same manner for second pleat. Decrease next 26 Sts. in same manner for third pleat. Bind off.

12 Sts. 14 Sts. 16 Sts.

every other row 2 times.

Work left side to correspond. Fold and sew 3 pleats at each Shoulder.

BACK: Cast on

104 Sts. 112 Sts. 120 Sts.

Increase 1 St. each side every 3rd row 24 times.

Sts. on Needle:	152 Sts.	160 Sts.	168 Sts.

To Shape Armholes: Bind off 4 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 18 times.

Sts. on Needle:	108 Sts.	116 Sts.	124 Sts.

(continued on page 21)

Another Famous Product — Lees Carpets

No. 1151 (*continued from page 20*)

When armhole measures 12 inches (measured straight from bound-off Sts. at underarm),

To Shape Shoulders: Bind off

9 Sts.	10 Sts.	11 Sts.

at beginning of each of the next 6 rows, bind off remaining

54 Sts.	56 Sts.	58 Sts.

for back of neck.

Right Armhole Band: Cast on 74 Sts. work even for 12 inches (same length as armhole edge of Front), then decrease 1 St. at righthand edge every row 6 times. Decrease next 30 Sts. to point for pleat as on Front, then decrease next 26 Sts. same as 2nd pleat on Front. Bind off remaining 12 Sts. Work Left Armhole Band to correspond (having decreases and pleats at opposite sides).

Sew Bands to armhole edges of Back. Fold and sew 2 pleats at each Shoulder. Sew shoulder seams (matching pleats). Sew underarm seams, leaving 2 inches open at left side for placket. Sew Blouse to Skirt. Sew skirt belting to inside of waistline. Sew slide fastener in place. Work 2 rows of S.C. around neck.

Silver Trim—Shoulder Bands: With Silver Ch.9, work 8 S.C. on Chain, *Ch.1, turn, work 1 S.C. in each St., repeat from * for 6 inches, then work 1 row of S.C. around edge of Band. Make 2.

Neckband: Work same as Shoulder Band for 15 inches. Fold and sew to neck edge, from center of Back to left front edge, sew snap fastener to remaining half of Band and fasten from right front edge to center of Back.

Work another piece the same, fold and sew to neck opening.

Belt: Work same as Shoulder Band for

25″	26½″	28″

or desired length, then work 5 rows of S.C. around entire edge, increasing at ends to round-off corners. Fasten with snap fasteners.

No. 1142

(*continued from page 2*)

On another needle cast on

52 Sts.	56 Sts.	60 Sts.

Work in Moss St. for 12 rows for tier, break yarn. On next row after last armhole decrease, K.3, then work in tier same as on Skirt, K. to end of row. Work 2 more tiers 1 inch apart.

When front edge measures

14″	14½″	15″

To Shape Neck: Bind off 29 Sts. at front edge, then 2 Sts. every other row 2 times, then decrease 1 St. every other row

2 times	3 times	4 times

When armhole measures same as at Back,

To Shape Shoulder: Bind off

12 Sts.	13 Sts.	14 Sts.

at side edge every other row 3 times.

RIGHT FRONT: Work to correspond with Left Front, working first set of Double Buttonholes

1¾″	2″	2¼″

from start as follows: K.4, bind off 2 Sts., K.8, bind off 2 Sts., K. to end of row. Next row cast on 2 Sts. over the bound-off Sts. Work 5 more sets of Double Buttonholes 2¼ inches apart.

SLEEVES: Cast on

60 Sts.	64 Sts.	68 Sts.

Work in Stockinette St. for ½ inch, P.1 row on right side for turn of hem. Work even in Stockinette St. for 1 inch, then increase 1 St. each side, then every ½ inch 23 times more.

Sts. on Needle:	108 Sts.	112 Sts.	116 Sts.

When Sleeve measures 18 inches (or desired length) to underarm,

To Shape Cap of Sleeve: Bind off

4 Sts.	4 Sts.	6 Sts.

at beginning of each of the next 2 rows, then 2 Sts. at beginning of next 4 rows, decrease 1 St. each side every other row

22 times	24 times	24 times

Bind off 2 Sts. at beginning of the next 8 rows. Bind off remaining Sts.

COLLAR: Cast on 14 Sts. Work in Moss St. for

15″	15″	15½″

Bind off.

Sew Skirt seams (sew seams of tiers separate), leaving 5 inches open on left side for placket. Turn up hem and sew. Sew shoulder seams, sew Sleeves in place. Sew sleeve and underarm seams, leaving 4 inches open for placket. Turn under 10 Sts. of Facing at front edges and sew, overcast Buttonholes. Sew Collar to neck edge, starting and ending ½ inch from front edge. Turn up hem of Sleeves and sew. Sew Blouse to Skirt, overlapping 1 inch at center. Sew 1 inch skirt belting at waist. Sew slide fastener in placket. Sew snap fasteners at neck edge and on tiers of Skirt at placket opening.

No. 1143

(*continued from page 4*)

LEFT FRONT: With Cream Coffee cast on

71 Sts.	75 Sts.	79 Sts.

K. 4 Sts. at front edge every row (Garter St.) for Border and work remaining Sts. in Pattern St. Decrease and increase at side edge to correspond with Back.

When work measures same as Back to underarm,

(*continued on page 25*)

Another Famous Product — Lees Carpets

CAREER GIRL

No. 1140

TWO-PIECE SUIT
Sizes 14, 16 and 18
(shown on front cover)

MATERIALS REQUIRED:

Columbia Catalina (1 ounce skein)

	Size 14	Size 16	Size 18
Jacobean No. 7349 (Color 1)	27 Skeins	28 Skeins	29 Skeins
California Citron No. 7326 (Color 2)	14 Skeins	15 Skeins	16 Skeins
White No. 7318 (Color 3)	2 Skeins	2 Skeins	2 Skeins

OR

Columbia Marcelaine (1 ounce ball)

	Size 14	Size 16	Size 18
Color 1	23 Balls	24 Balls	25 Balls
Color 2	12 Balls	13 Balls	14 Balls
Color 3	2 Balls	2 Balls	2 Balls

OR

Columbia Colana (1 ounce ball)

	Size 14	Size 16	Size 18
Color 1	27 Balls	28 Balls	29 Balls
Color 2	14 Balls	15 Balls	16 Balls
Color 3	2 Balls	2 Balls	2 Balls

Knitting Needles: 1 Pair Standard Size 2—14 inch

Gauge: 8 Sts. to 1 inch

This garment can also be made in Columbia Zephyrdown, Sports Yarn or Fingering Yarn, using Size 3 Needles. For yarn amounts see Page 30.

SIZES:	**14**	**16**	**18**

SKIRT: (Made in 4 Panels) With Jacobean cast on 178 Sts. Work in Stockinette St. for 1 inch, then P. 1 row on right side for turn of hem. Continue in Stockinette St. and when work measures

3″ 4″ 5″

from P. row, decrease across next row as follows: K.2 together, decrease 5 Sts. across row equal distance apart, K. last 2 Sts. together (decreasing 7 Sts.). Continue to decrease 7 Sts. in this manner every 3 inches 2 times more, then every 2 inches 5 times, then every 1½ inches 4 times (94 Sts. on needle). Discontinue decreases at side edge and continue to decrease 5 Sts. across row every 1½ inches

	3 times	2 times	1 time
Sts. on Needle:	79 Sts.	84 Sts.	89 Sts.

When work measures 32 inches from P. row of hem (or desired length), *K.1, K.2 together, repeat from * across row, decreasing

26 Sts. 28 Sts. 29 Sts.

Bind off all Sts.

Work 3 more Panels in same manner. Sew seams, leaving 7 inches open at left side for placket. Turn up hem and sew. Sew skirt belting to inside of waistline. Sew slide fastener in placket.

JACKET—BACK: Starting at Peplum, with California Citron cast on

182 Sts. 190 Sts. 198 Sts.

Work in Stockinette St. for 1 inch even, then P. 1 row on right side for turn of hem. Work even in Stockinette St. for 1 inch, then work in Stripe Pattern as follows:

2 rows Jacobean (Color 1)
4 rows White (Color 3)
28 rows California Citron (Color 2)

at the same time on 21st row of California Citron decrease 26 Sts. across row as follows:

.....	K.6	K.10

*K.2 together, K.5, repeat from * across row, ending

.....	K.2 together,	K.2 together,
.....	K.7	K.11

On 25th and 27th rows of California Citron decrease 26 Sts: again, having decreases over previous decreases.

Sts. on Needle:	104 Sts.	112 Sts.	120 Sts.

P. back. Continue in Stripe Pattern, increasing 1 St. each side on next row, then every 6th row 11 times more.

Sts. on Needle:	128 Sts.	136 Sts.	144 Sts.

When there are 5 White Stripes from start,

To Shape Armholes: Bind off 4 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 4 times.

Sts. on Needle:	112 Sts.	120 Sts.	128 Sts.

When armhole measures

8″ 8″ 8½″

(measured straight from bound-off Sts. at underarm),

To Shape Shoulders: Bind off

12 Sts. 13 Sts. 14 Sts.

at beginning of each of the next 6 rows. Bind off remaining Sts. for back of neck.

RIGHT FRONT: Starting at Peplum, cast on

94 Sts. 98 Sts. 102 Sts.

Work same as Back Peplum to 21st row of California Citron. Decrease 14 Sts. across row as follows: K.11,*K.2 together, K.4, repeat from * across row, ending

K.3 K.7 K.11

(continued on page 24)

Another Famous Product — Lees Carpets

TRICOLOR

No. 1141

Sizes 12, 14 and 16
One-Piece Dress
original knitted of Columbia Catalina
dyed to match FORSTMANN FABRICS
Forstmann Cape, VOGUE PATTERN No. 6317

MATERIALS REQUIRED:

Columbia Catalina (1 ounce skein)

	Size 12	Size 14	Size 16
Placid No. 7342 (Color 1)	28 Skeins	30 Skeins	32 Skeins
Beauvais No. 7334 (Color 2)	1 Skein	1 Skein	1 Skein
White No. 7318 (Color 3)	1 Skein	1 Skein	1 Skein

OR

Columbia Marcelaine (1 ounce ball)

	Size 12	Size 14	Size 16
Color 1	24 Balls	26 Balls	27 Balls
Color 2	1 Ball	1 Ball	1 Ball
Color 3	1 Ball	1 Ball	1 Ball

OR

Columbia Colana (1 ounce ball)

	Size 12	Size 14	Size 16
Color 1	28 Balls	30 Balls	32 Balls
Color 2	1 Ball	1 Ball	1 Ball
Color 3	1 Ball	1 Ball	1 Ball

Knitting Needles: 1 Pair Standard Size 2—14 inch

Gauge: 8 Sts. to 1 inch

1 Steel Crochet Hook Size 2

This garment can also be made in Columbia Fingering Yarn, Sports Yarn or Zephyrdown, using Size 3 Needles. For yarn amounts see Page 30.

SIZES:	**12**	**14**	**16**

SKIRT—FRONT: With Placid cast on

230 Sts. 242 Sts. 254 Sts.

Work in Stockinette St. for

5″ 5″ 3″

even (for 32 inch Skirt; for shorter or longer Skirt make adjustments). Next row decrease 13 Sts. as follows:

K.2 together,

*K.17 *K.18 *K.19

K.2 together, repeat from * across. Continue to decrease 13 Sts. in this manner (having 1 St. less between decreases every decreasing row) every 4 inches 4 times more, then every 2 inches

2 times 2 times 3 times

(25 inches from start at Hipline, allowing 7 inches to waistline).

Work even for 2 inches, then decrease 8 Sts. as follows:

*K.14 *K.15 *K.16

K.2 together, repeat from * 7 times more, K. to end of row.

Continue to decrease 8 Sts. across row every inch

3 times 4 times 3 times

more.

Sts. on Needle: 107 Sts. 111 Sts. 118 Sts.

When Skirt measures 32 inches from start (or desired length), work in Ribbing of K.1, P.1, for 1 inch, bind off.

Work Back of Skirt the same.

Sew side seams, leaving 5 inches open at left side for placket. Work 2 rows of S. C. around lower edge of Skirt.

BLOUSE—FRONT: (The colors on Vertical Stripes are worked in after the Front is completed). With Placid cast on

104 Sts. 110 Sts. 116 Sts.

Row 1— K.2, P.1 K.5, P.1

*K.6, P.1, repeat from * across row, ending

K.6 K.2 K.5

Row 2— P.2, K.1 P.5, K.1

*P.6, K.1, repeat from * across row, ending

P.6 P.2 P.5

Repeat these 2 rows for Pattern, increasing 1 St. each side every 8th row

10 times 11 times 12 times

adding 2 P. Sts. 1 P. St. 2 P. Sts.

to Pattern at each side.

Sts. on Needle: 124 Sts. 132 Sts. 140 Sts.

When work measures

7″ 7½″ 8″

from start, discontinue 6 P. Sts. across center and divide Sts. for neck opening as follows: Work

38 Sts. 42 Sts. 46 Sts.

in Pattern St., K.18, slip these Sts. on a St. Holder. Work Right Yoke; K. across next 30 Sts., continue Pattern St. to end of row.

When work measures

8″ 8½″ 9″

from start,

To Shape Armhole: Bind off 7 Sts. at side edge, on same row work first Buttonhole 4 Sts. from front edge and 4 Sts. wide. (Buttonholes see Page 32). Work 3 more Buttonholes 1½ inches apart. Decrease 1 St. at armhole edge every other row

3 times 4 times 4 times

(continued on page 24)

Another Famous Product — Lees Carpets

No. 1140 (*continued from page 22*)

On 25th row of California Citron bind off 4 Sts. at front edge for hem and decrease 14 Sts. over previous decreases. On 26th row cast on 24 Sts. (at front edge for overlap and Facing). Decrease 14 Sts. again on 27th row (over previous decreases). On first row of next Jacobean Stripe work first set of Double Buttonholes as follows: K.4, bind off 4 Sts., K.8, bind off 4 Sts., K. to end of row. On next row cast on 4 Sts. over bound-off Sts. (work a set of Double Buttonholes in each of the next 5 Jacobean Stripes), at the same time increase at side edge and decrease for armhole to correspond with Back.

When armhole measures

6″ 6″ 6½″

(measured straight from bound-off Sts. at underarm),

To Shape Neck: Bind off 30 Sts. at front edge, then decrease 1 St. every other row

10 times 11 times 12 times

at the same time when armhole measures same as at Back,

To Shape Shoulder: Bind off

12 Sts. 13 Sts. 14 Sts.

at armhole edge every other row 3 times.

Work Left Front to correspond, omitting Buttonholes.

SLEEVES: With California Citron cast on

60 Sts. 60 Sts. 64 Sts.

work in Stockinette St. for 1 inch, then K.1 row on wrong side for turn of hem. Work in Stripe Pattern, starting with 28 rows in California Citron, increasing 1 St. each side every 10th row

13 times 10 times 10 times

then every 6th row

9 times 14 times 13 times

Sts. on Needle: 104 Sts. 108 Sts. 110 Sts.

On first row of California Citron, after 6th White Stripe, bind off 4 Sts. at beginning of each of the next 2 rows for underarm, then decrease 1 St. each side every other row

35 times 37 times 39 times

then every row 6 times, bind off remaining Sts.

COLLAR: With California Citron cast on

120 Sts. 120 Sts. 124 Sts.

Work in Stockinette St. for 4 rows. P. 1 row on right side for turn of hem, then work in Stockinette St. for 7 rows. Work Jacobean and White Stripes, then work 18 rows with California Citron. Bind off 24 Sts. at beginning of each of the next 4 rows, bind off remaining Sts.

Sew shoulder seams. Sew Sleeves in place. Sew underarm and sleeve seams. Turn under 12 Sts. at front edges for facing. Sew in place, overcasting Buttonholes. Turn under 4 Sts. at front edges of Peplum, sew in place. Turn up hem of Peplum and Sleeves and sew. Sew bound-off edge of Collar to neck edge 1¼ inches from front edge, turning under 4 Sts. at each side. Turn up hem of Collar and sew. Sew seam binding at inside of waistline.

No. 1141 (*continued from page 23*

When work measures

13″ 13½″ 14″

from start,

To Shape Neck: Bind off 12 Sts. at front edge, then decrease 1 St. every row

13 times 13 times 14 times

When armhole measures

7″ 7½″ 7½″

(measured straight from bound-off Sts. at underarm),

To Shape Shoulder: Bind off

11 Sts. 12 Sts. 13 Sts.

at armhole edge every other row 3 times.

Work Left Yoke to correspond, casting on 12 Sts. at front edge for underlap (omitting Buttonholes).

BACK: With Placid cast on

104 Sts. 110 Sts. 116 Sts.

Work in Stockinette St., increasing 1 St. each side every 8th row

10 times 11 times 12 times

When work measures

8″ 8½″ 9″

from start,

To Shape Armholes: Bind off 7 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row

3 times 4 times 4 times

When armhole measures

7″ 7½″ 7½″

from start,

To Shape Shoulders: Bind off

11 Sts. 12 Sts. 13 Sts.

at beginning of each of the next 6 rows. Bind off remaining

38 Sts. 38 Sts. 40 Sts.

for back of neck.

SLEEVES: With Placid cast on

56 Sts. 60 Sts. 64 Sts.

Work in Stockinette St., increasing 1 St. each side every 10th row 20 times.

Sts. on Needle: 96 Sts. 100 Sts. 104 Sts.

When work measures 18 inches from start (or desired length),

To Shape Cap of Sleeve: Bind off 7 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every 4th row

4 times 5 times 5 times

then 1 St. each side every other row

16 times 13 times 11 times

then every row

5 times 7 times 11 times

Bind off remaining Sts.

Sew shoulder seams. Sew Sleeves in place. Sew sleeve and underarm seams, leaving 4 inches open at left side for placket. Sew Blouse to Skirt. Sew underlap of Yoke in place. Work 2 rows of S. C. around edge of Sleeves. Sew slide fastener in placket.

(*continued on page 25*)

Another Famous Product — Lees Carpets

No. 1141 (*continued from page 24*)

COLLAR: With Placid cast on 104 Sts. Work in Ribbing of K.1, P.1, for 2½ inches, increasing 1 St. each side every ½ inch 4 times. Bind off. Work 1 row of S. C. around entire Collar. Work 1 row of S. C. around neck edge and front opening. Sew Collar to neck edge.

Pocket Trim: With Placid cast on 44 Sts. Work in Ribbing of K.1, P.1, for 1½ inches, bind off. Work 1 row of S. C. around entire edge. Make 2. Sew to Skirt (½ inch from side edge and 3¼ inches from Ribbing at waist), leaving top edge open and turning the row of S. C. under at lower edge.

Vertical Stripes: With Crochet Hook work slip St. up each P. St. line, alternating White and Beauvais.

Crocheted Buttons: With Placid Ch.2, 5 S. C. in first Ch. Work 2 S. C. in each St. for 2 rounds, then 1 S. C. in each St. around. Insert small round Button, draw Sts. together. Break yarn and fasten. Make 4. Sew to underlap.

No. 1143 (*continued from page 21*)

To Shape Armhole: Bind off 7 Sts. at side edge, then 3 Sts. every other row 2 times, then decrease 1 St. at same edge every other row 8 times.

Sts. on Needle:	51 Sts.	55 Sts.	59 Sts.

When armhole measures 5½ inches (measured straight from bound-off Sts. at underarm),

To Shape Neck: Slip 4 Border Sts. on St. Holder, then bind off next

	8 Sts.	9 Sts.	10 Sts.

then 2 Sts. at same edge every other row 3 times.

When armhole measures same as at Back,

To Shape Shoulder: Bind off

	11 Sts.	12 Sts.	13 Sts.

at armhole edge every other row 3 times.

RIGHT FRONT: Work to correspond with Left Front, working first Buttonhole 8 inches from start, 4 Sts. from front edge, 3 Sts. wide (Buttonholes see Page 32). Work 5 more Buttonholes about 2¾ inches apart.

SLEEVES: With Cream Coffee cast on

	55 Sts.	59 Sts.	63 Sts.

Work even in Pattern St. for ½ inch, increase 1 St. each side, then every inch 16 times more (being careful to keep Pattern St. even).

Sts. on Needle:	89 Sts.	93 Sts.	97 Sts.

When work measures 18 inches from start (or desired length),

To Shape Cap of Sleeve: Bind off 7 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row

	10 times	12 times	14 times

When Cap of Sleeve measures

	4″	4½″	5″

bind off 3 Sts. at beginning of each of the next 6 rows, bind off remaining Sts.

Sew shoulder seams, sew Sleeves in place. Sew underarm and sleeve seams.

Neckband: Slip the 4 Sts. of Right Front from St. Holder and work in Garter St. for 14 inches (or long enough to fit around neck edge), then weave or sew to the 4 Sts. of Left Front.

Sew neckband to neck edge. Face Front Borders and waistline with grosgrain ribbon. Sew around Buttonholes. Work 1 row of S. C. around edge of Jacket and Sleeves.

No. 1144

(*continued from page 6*)

RIGHT FRONT: Work to correspond with Left Front, working first Buttonhole ½ inch from start, by Ch.3 and skipping the second Pattern from front edge. On next row work across the Ch.3 in Pattern St. Work 5 more Buttonholes about 2½ inches apart.

SLEEVES: Ch.

	57	57	61

Ch. should measure

	7″	7″	7½″

Work

	14 Patterns	14 Patterns	15 Patterns

for 1 inch. Increase ½ Pattern at beginning of each of the next 2 rows (1 Pattern increased), then every 2 inches 7 times more.

	22 Patterns	22 Patterns	23 Patterns

When Sleeve measures 18 inches (or desired length) from start,

To Shape Cap of Sleeve: *Decrease 1 Pattern at beginning of each of the next 2 rows, work 2 rows even, repeat from * until

	6 Patterns	6 Patterns	7 Patterns

remain. Break yarn and fasten.

Sew shoulder seams. Sew Sleeves in place. Sew underarm and sleeve seams.

Collar: With wrong side of work toward you, fasten yarn at neck edge of Left Front. Work across neck edge to Right Front in Pattern St., Ch.1, turn. On second row work to within ½ inch of first row, Ch.1, turn. On next row work to within ½ inch of previous row, Ch.1, turn. Continue in this manner for 14 rows more. Break yarn and fasten.

Work 1 row of S.C. around all edges of Jacket and 2 rows across edge of Collar. Face Fronts with grosgrain ribbon. Sew around Buttonholes.

Buttons: Cover 6—¾ inch Button Molds as follows: Ch.2, work 2 S.C. in each St. around until same diameter as Button. On next 2 rows work 1 S.C. in every other St. Break yarn. Draw Sts. together and fasten.

Another Famous Product — Lees Carpets

No. 1145

(*continued from page 8*)

When work measures 6¾ inches from start, increase 16 Sts. across row (increase 1 St. in about every 5th St.).

Sts. on Needle:	120 Sts.	128 Sts.	136 Sts.

When work measures 7 inches, change to White for remainder of Back. Increase 1 St. each side every inch 7 times.

When Back measures same length as Front to underarm,

To Shape Armholes: Bind off 8 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 8 times.

Sts. on Needle:	102 Sts.	110 Sts.	118 Sts.

When work measures 17 inches from start (measured at center), divide Sts. for back opening and work each side separate. Increase 1 St. at armhole edge every inch 5 times.

When armhole measures same as at Back,

To Shape Shoulder: Bind off at armhole edge

10 Sts.	10 Sts.	11 Sts.

every other row 4 times, then bind off remaining

16 Sts.	20 Sts.	20 Sts.

for back of neck. Work other side to correspond.

SLEEVES: With Arras cast on

50 Sts.	55 Sts.	60 Sts.

Work in Stockinette St. for 1¼ inches even. Join White and work

10 Sts.	11 Sts.	12 Sts.

each side with White for 1½ inches, then work next

10 Sts.	11 Sts.	12 Sts.

each side with White for 1½ inches, then work all Sts. with White for remainder of Sleeve, at the same time when work measures 2 inches from start, increase 1 St. each side, then every ½ inch 29 times more.

Sts. on Needle:	110 Sts.	115 Sts.	120 Sts.

When Sleeve measures 18 inches (or desired length) from start,

To Shape Cap of Sleeve: Bind off 8 Sts. at beginning of each of the next 2 rows. Decrease 1 St. each side every ½ inch 9 times, then bind off 2 Sts. at beginning of each row 24 times, bind off remaining Sts.

Bead Trimming: Thread fine needle with strong White thread and fasten at side edge of Blouse in last row of Arras, *pick up 5 beads, skip 2 Sts., draw needle through next St., repeat from * across entire edge of Arras at Front and Back, then work another row in first row of White (close to last row, draw needle through St. in center above the previous 5 beads). Trim Cuffs in same manner.

Sew shoulder seams. With White work 1 row of S.C. around neck edge and back opening. Sew Sleeves in place. Sew sleeve and underarm seams, leaving 9 inches open at left side for placket and 2 inches at cuffs (to prevent beads from breaking loose). Sew slide fastener in placket and back opening. Fasten Cuffs with snap fasteners. With Arras work 1 row of S.C. around lower edge of Blouse and Cuffs.

No. 1147

(*continued from page 12*)

Sts. on Needle:	108 Sts.	112 Sts.	118 Sts.

On same row as start of 4th Diamond in Pattern Panels start Yoke as follows:

Row 1—	K.3	K.5	K.8

cross next 2 Sts., K.9, work Pattern Panel (20 Sts.), K.9, cross 2 Sts., K.18, cross 2 Sts., K.9, work Pattern Panel, K.9, cross 2 Sts.,

	K.3	K.5	K.8
Row 2—	P.14	P.16	P.19

work Pattern Panel (20 Sts.), P.40, work Pattern Panel (20 Sts.),

	P.14	P.16	P.19
Row 3—	K.2	K.4	K.7

cross 2 Sts., cross next 2 Sts., K.8, work Pattern Panel, K.8, cross 2 Sts., cross 2 Sts., K.16, cross 2 Sts., cross 2 Sts., K.8, work Pattern Panel, K.8, cross 2 Sts., cross 2 Sts.,

	K.2	K.4	K.7
Row 4—	P.3	P.5	P.8

K.2, P.9, work Pattern Panel, P.9, K.2, P.18, K.2, P.9, work Pattern Panel, P.9, K.2,

	P.3	P.5	P.8

Continue to work in this manner for ½ Pattern (forming points), then continue in Pattern St. until armholes measure

	8½″	9″	9″

(measured straight).

To Shape Shoulders: Bind off

10 Sts.	10 Sts.	11 Sts.

at beginning of each of the next 8 rows, bind off remaining Sts. for back of neck.

FRONT: Work same as Back until the 2 Diamonds are completed in Center Panel (38 rows in Pattern St.).

To Shape Neck: Bind off center

28 Sts.	32 Sts.	30 Sts.

then work each side separate until armhole measures same as at Back,

To Shape Shoulder: Bind off

10 Sts.	10 Sts.	11 Sts.

at armhole edge every other row 4 times.

Work other Shoulder to correspond.

SLEEVES: Cast on 60 Sts. Work in Pattern St. for 38 rows. Change to Stockinette St., increasing to 72 Sts. (increase 1 St. in every 5th St.) across first row. Increase 1 St. each side every 4th row

	18 times	20 times	20 times
Sts. on Needle:	108 Sts.	112 Sts.	112 Sts.

When Sleeve measures 11½ inches from start (or desired length to underarm),

To Shape Cap of Sleeve: Decrease 1 St. each side every row 12 times, then every 4th row 9 times, then bind off 2 Sts. at beginning of each row 24 times. Bind off remaining Sts.

(*continued on page 27*)

Another Famous Product — Lees Carpets

No.1147 (*continued from page 26*)

Sew shoulder seams, sew Sleeves in place, sew underarm and sleeve seams. Sew Blouse to Skirt, Pattern Panels matching at Front and Back. Work 2 rows of S.C. around lower edge of Skirt, neck and sleeve edges. Crochet casing (see Page 32) for elastic at inside of waistline.

No. 1148

(*continued from page 14*)

To Shape Shoulders: Bind off

10 Sts. 11 Sts. 12 Sts.

at beginning of each of the next 6 rows. Bind off remaining

36 Sts. 38 Sts. 40 Sts.

for back of neck.

LEFT FRONT: Cast on

76 Sts. 80 Sts. 84 Sts.

Work P. Border for 1 inch as on Back, ending with K. row on wrong side of work. Next row K. across to last 20 Sts., P.20 (P. Panel at front edge).

Next row: K.20, P. to end of row.

Repeat last 2 rows for 1 inch, ending on wrong side of work. Next row K. to last 19 Sts., P.19. Next row K.19, P. to end of row.

Repeat last 2 rows 2 times. Continue to K. 1 P. St. inside of P. Panel every 6th row until all P. Sts. are worked off, at the same time when work measures same as Back to underarm,

To Shape Armhole: Bind off 6 Sts. at side edge, then decrease 1 St. every other row 12 times.

Sts. on Needle: 58 Sts. 62 Sts. 66 Sts.

When front edge measures

14″ 14″ 14½″

from start,

To Shape Neck: Bind off 14 Sts. at front edge, then bind off 3 Sts. every other row 2 times, then decrease 1 St. every other row

8 times 9 times 10 times

When armhole measures same as at Back,

To Shape Shoulders: Bind off

10 Sts. 11 Sts. 12 Sts.

at armhole edge every other row 3 times.

RIGHT FRONT: Work to correspond with Left Front (having P. Panel and decreases at opposite sides).

SLEEVES: Cast on

68 Sts. 72 Sts. 76 Sts.

Work P. Border for 1 inch as on Back, ending with K. row, increasing 1 St. each side on last row.

Start P. Panel at center as follows:

K.15 K.17 K.19

P.40,

K.15 K.17 K.19

Next row:

P.15 P.17 P.19

K.40,

P.15 P.17 P.19

Repeat last 2 rows 4 times more (10 rows in all). Next row increase 1 St. each side and narrow the P. Panel (K.1 P. St. inside of P. Panel each side. Work 9 rows even. Repeat these 10 rows 14 times more.

Sts. on Needle: 100 Sts. 104 Sts. 108 Sts.

Continue to narrow the P. Panel until all P. Sts. are worked off, at the same time when Sleeve measures 17½ inches (or desired length to underarm),

To Shape Cap of Sleeve: Bind off 6 Sts. at beginning of each of the next 2 rows, then 1 St. each side every other row

28 times 30 times 32 times

then bind off 2 Sts. at beginning of each of the next 6 rows, bind off remaining Sts.

COLLAR: Starting at outer edge, cast on

106 Sts. 110 Sts. 114 Sts.

Work in Stockinette St. for 1 inch, ending with K. row, then work as follows:

Row 1—P.12 Sts., K. across to last 12 Sts., P.12.

Row 2—K.11, P. to last 11 Sts., K.11.

Row 3—P.10, K. to last 10 Sts., P. 10.

Row 4—K. 9, P. to last 9 Sts., K. 9.

Row 5—P.9, K. to last 9 Sts., P.9.

Repeat Rows 4 and 5. When work measures 1¾ inches from start, work 35 Sts., bind off

36 Sts. 40 Sts. 44 Sts.

then on remaining 35 Sts. bind off 4 Sts. at inside edge every other row 8 times, bind off last 3 Sts. Work 35 Sts. at other side to correspond.

Sew shoulder seams, sew Sleeves in place, sew underarm and sleeve seams. Sew Collar to neck edge. Work 1 row of S.C. around edge of Bolero and Sleeves. Fasten with loop and Button. Face Fronts with 2 inch grosgrain ribbon.

Another Famous Product — Lees Carpets

No. 1150

(*continued from page 18*)

When work measures 7½ inches from start, increase 1 St. each side, then every ½ inch 15 times more, working 1½ inches with Light Navy between Stripes.

Second Stripe starts with 2 Mexicana Sts. in 3rd and 4th St. (towards center) from last Mexicana St. in first Stripe, decreasing and increasing 1 St. as in first Stripe until White measures 2½ inches, finish with 4 rows of Mexicana.

Work 3rd Stripe in same manner, starting with 2 Mexicana Sts. in 5th and 6th St. (towards center) from last Mexicana St. in 2nd Stripe.

After 4th row of Mexicana,

Sts. on Needle:	118 Sts.	126 Sts.	134 Sts.

To Shape Armholes: Bind off 6 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 8 times, starting 4th Stripe in same manner as 3rd Stripe. Work ¾ inch with Light Navy after 4th Stripe to neck edge.

To Shape Neck: Bind off 26 Sts. at center, slip Sts. of Left Shoulder on St. Holder, work Right Shoulder as follows: Work ¾ inch with Light Navy, then work all Sts. with White until armhole measures

7½″	8″	8½″

To Shape Shoulder: Bind off

8 Sts.	9 Sts.	10 Sts.

at armhole edge every other row 4 times.

Left Shoulder: Work ¾ inch with Light Navy, then start 5th Stripe in same manner as 4th Stripe and finish to correspond with Right Shoulder.

BACK: Cast on and work decreases and increases to correspond with Front, starting first Stripe at Right underarm as follows:

Row 1—With Mexicana cast on 1 St., with Light Navy K.1, K.2 together (through back of Sts.), K. to end of row.

Row 2—P. across.

Row 3—Increase 1 St. in first St. (2 Mexicana Sts.), with Light Navy K.1, K.2 together, K. to end of row.

Row 4—P. across.

Row 5—With White cast on 1 St., Mexicana K.2, Light Navy K.1, K.2 together, K. to end of row.

Row 6—P. across.

Row 7—Increase 1 St. in first St. (2 White Sts.), K.2 Mexicana, Light Navy K.1, K.2 together, K. to end of row.

Row 8—P. across.

Row 9—Increase 1 St., K.1 (3 White Sts.), Mexicana K.2, Light Navy K.1, K.2 together, K. to end of row.

Row 10—P. across.

Row 11—K.1, increase 1 St. in next St., K.1 (4 White Sts.), Mexicana K.2, Light Navy K.1, K.2 together, K. to end of row.

Row 12—P. across.

Continue in this manner, working Stripes and increases to correspond with Front.

Shape armholes same as for Front.

Back Opening: After working 4th Stripe for ½ inch, divide Sts. and work each side separate until armhole measures same as at Front.

To Shape Shoulder: Bind off

8 Sts.	9 Sts.	10 Sts.

at armhole edge every other row 4 times, bind off remaining Sts. for back of neck.

LEFT SLEEVE: With Light Navy cast on

50 Sts.	54 Sts.	58 Sts.

Work in Stockinette St., increasing 1 St. each side every ½ inch 24 times.

Sts. on Needle:	98 Sts.	102 Sts.	106 Sts.

When Sleeve measures 14 inches from start (or desired length),

To Shape Cap of Sleeve: Bind off 6 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row -

26 times	28 times	30 times

then bind off 2 Sts. at beginning of each of the next 8 rows.

Bind off remaining Sts.

With White work Right Sleeve to correspond.

Sew shoulder seams. Sew Sleeves in Place. Sew underarm and sleeve seams. Work 1 row of S.C. around lower edge of Blouse, sleeve edge, neck edge and back opening. Sew slide fastener in back opening.

Another Famous Product — Lees Carpets

CHART FOR No. 1149



APPROXIMATE YARN AMOUNTS TO BE SUBSTITUTED FOR NUMBER OF SKEINS OR BALLS USED IN ORIGINAL GARMENT

Original Garment Made in Catalina (1 oz. skein) **OR** **Colana** (1 oz. ball) number of skeins or balls.....	1	2	6	14	15	16	21	23	25	27	28	29	30	32
Fingering Yarn (2 oz. skein) number of skeins.....	1	1	2	5	6	6	7	8	9	9	10	10	10	11
Sports Yarn (2 oz. ball) number of balls.....	1	1	3	5	6	6	7	8	9	10	10	11	11	12
Zephyrdown (1 oz. ball) number of balls.....	1	1	4	8	8	8	11	12	13	14	15	15	16	17

Original Garment Made in Marcelaine (1 oz. ball) number of balls..	36	38	40											
Fingering Yarn (2 oz. skein) number of skeins.....	15	15	16											
Sports Yarn (2 oz. ball) number of balls.....	15	16	17											
Zephyrdown (1 oz. ball) number of balls.....	22	23	25											

Original Garment Made in Fingering Yarn (2 oz. skein) number of skeins	8	9	10											
Catalina (1 oz. skein) number of skeins.....	25	28	31											
Colana (1 oz. ball) number of balls..	25	28	31											
Marcelaine (1 oz. ball) number of balls.....	21	23	26											

Original Garment Made in Sports Yarn (2 oz. ball) number of balls..	4	5	6	8	9	10								
Catalina (1 oz. skein) number of skeins.....	12	15	18	23	26	29								
Colana (1 oz. ball) number of balls..	12	15	18	23	26	29								
Marcelaine (1 oz. ball) number of balls.....	10	13	15	20	22	25								

APPROXIMATE YARDAGE
OF
COLUMBIA YARNS

Catalina (1 ounce skein—about 130 yards to a skein)

Marcelaine (1 ounce ball—about 155 yards to a ball)

Colana (1 ounce ball—about 130 yards to a ball)

Fingering Yarn (2 ounce skein—about 395 yards to a skein)

Sports Yarn (2 ounce ball—about 373 yards to a ball)

Heather Sports Yarn (2 ounce ball—about 373 yards to a ball)

Zephyrdown (1 ounce ball—about 256 yards to a ball)

Princess Yarn (1 ounce ball—about 128 yards to a ball)

Baby Yarn (1 ounce ball—about 223 yards to a ball) shrink treated

Baby Yarn—Shrink Treated (1 ounce ball—about 198 yards to a ball)

Featherweight Knitting Worsted (2 ounce skein—about 233 yards to a skein)

Heather Featherweight Knitting Worsted (2 ounce skein—about 233 yards to a skein)

Sock and Sweater Yarn (2 ounce ball—about 245 yards to a ball)

Heather Sock and Sweater Yarn (2 ounce ball—about 245 yards to a ball)

Pompadour (1 ounce ball—about 210 yards to a ball)

Afghan Germantown (2 ounce skein—about 210 yards to a skein)

Knitting Worsted (4 ounce skein—about 280 yards to a skein)

Heather Knitting Worsted (4 ounce skein—about 280 yards to a skein)

Ombre Knitting Worsted (2 ounce skein—about 140 yards to a skein)

Tapestry Yarn (about 40 yards to a skein)

Lustra Yarn (2 cunce skein—about 122 yards to a skein)

Worsted Rug Yarn (1 ounce skein—about 19 yards to a skein)

Sock Yarn (1 ounce ball—about 200 yards to a ball)

Argyle Sock Package (3 ounces—sufficient to make one pair of socks)

Nylon Sweater and Sock Yarn (1 ounce skein—about 210 yards to a skein)

Another Famous Product — Lees Carpets

General Instructions

ABBREVIATIONS USED IN KNITTING AND CROCHETING INSTRUCTIONS

K.—Knit	Tr. C.—Treble Crochet
P.—Purl	St.—Stitch
Ch.—Chain	Y. O.—Yarn Over
S. C.—Single Crochet	Slip St.—Slip Stitch
D. C.—Double Crochet	H. D. C.—Half Double Crochet

ASTERISKS * — **: Star symbols indicate that work between them is to be repeated. When instructions call for repeating a given number of times it is understood that this is in addition to the original. Thus repeat 5 times more means 6 times in all.

GARTER STITCH: (Plain Knitting) K. every row.

RIB: 2 rows of Garter Stitch.

STOCKINETTE STITCH: K. 1 row, P. 1 row alternately. On Circular or Sock Needles knit continuously.

MOSS STITCH: K. 1 St., P. 1 St., on uneven number of Sts. On even number of Sts., K. 1 St., P. 1 St., across row; next row, P. 1 St., K. 1 St., across row.

TO INCREASE: K. 2 Sts. in 1 Stitch (Knitting 1 St. in the front and 1 St. in the back of same St.).

TO DECREASE: K. 2 Sts. together.

TO WORK EVEN: Work without increasing or decreasing.

BUTTONHOLES: Bind off the given number of stitches, this same number of stitches to be cast on on the next row directly over the bound-off stitches. Work around buttonholes in Buttonhole Stitch.

For Crocheted Buttonholes—Chain the desired number of stitches, skip the same number of stitches on previous row and on next row, work over the chain stitches.

FINISHING A NEW GARMENT

BLOCKING: Using rust-proof pins, pin each piece, wrong side out, on a pressing board in exactly the line you wish to retain. Use a damp cloth and moderately hot iron, press lightly, allowing the steam to go through the garment. Lay it on a flat surface until thoroughly dry.

JOINING: Sew pieces together, being careful that the edges meet evenly. Be careful to match rows wherever possible.

BEADING: Fasten yarn, chain 5, * skip 2 stitches, 1 double crochet in next stitch, chain 2, repeat from * around edge of garment.

CASING FOR ELASTIC: (Inside at waistline) Fasten yarn, * chain 5, skip 2 stitches, 1 slip stitch in stitch ½ inch below next stitch, chain 5, skip 2 stitches, 1 slip stitch in next stitch ½ inch above, repeat from *.

WASHING: Make suds in lukewarm water using mild alkali-free flakes such as *Ivory Soap Flakes*. For superior washing results, the addition of a good water normalizer, such as Calgon, to your soap and water is recommended. Likewise, for improved rinsing results, the addition of Calgon or some other good water normalizer is beneficial. Squeeze suds through fabric. Do not rub. Handle gently, do not lift out of water, as the weight of the wet garment will stretch it. Keep garment supported by the hands when squeezing out water. Rinse thoroughly three times in lukewarm normalized water. Squeeze out as much water as possible, do not twist or wring, and roll in dry turkish towels to absorb excess moisture. Shape garment according to measurements and lay it on a turkish towel on a flat surface until thoroughly dry. Ribbing should be eased in so that it will fit as snugly as when new. Never dry in sun or excessive heat.

This Is Important

DYE LOTS: Be sure to buy sufficient yarn at one time to complete your garment, making certain that each ball or skein has an identical set of dye lot letters, this is printed on the Band around the yarn, and is beside the color number.

GAUGE: Each Columbia Instruction gives a Gauge or Scale of the number of stitches to the inch when using the yarn and needles called for. If you work tighter than the average, change to larger needles; if you work looser, change to smaller needles, to acquire the same number of stitches to the inch called for in the instructions.

For complete satisfaction in the making of your hand-knitted garments illustrated in this book we recommend Columbia yarns in the types specified. Also be sure and follow detailed instructions as to size of needles and gauge.

If you are unable to obtain Columbia yarns in your local Art Needlework Department or Yarn Shop, write to James Lees and Sons Company, Bridgeport, Pa. and we will send you the name of the Columbia dealer nearest you.

STANDARD BODY MEASUREMENTS

Sizes	—12	—14	—16	—18	—20
Bust	—30″	—32″	—34″	—36″	—38″
Waist	—25″	—26½″	—28″	—30″	—32″
Hips	—33″	—35″	—37″	—39″	—41″

Another Famous Product — Lees Carpets

PRINTED IN U. S. A.
MANZ, CHICAGO, NEW YORK

LEAD THE FASHION PARADE
USE COLUMBIA KNITTING BOOKS

VOLUME No. 112 COLUMBIA HAND KNITS

Dresses, blouses, suits and coats designed in Columbia style of distinction. Also color "tie-in" with Forstmann Woolen leading shades.

VOLUME No. 111 COLUMBIA STYLE BOOK

High style dresses, suits, coats and evening dresses. Sizes in this book include 12, 14, 16, 18 and 20.

VOLUME No. 110 COLUMBIA AFGHAN BOOK

A collection of twelve favorite afghans—knitted and crocheted. Among the favorites are beautiful cross stitch patterns

VOLUME No. 109
COLUMBIA KNITTING MANUAL

Valuable tips for beginners and experienced workers. Illustrations of and instructions for fundamental stitches and pattern stitches. Basic garments and accessories for infants, children, men and women.

VOLUME No. 108 COLUMBIA STYLE BOOK

High style dresses, suits and coats—cardigans, slipovers and sleeveless sweaters. Sizes in this book include 12, 14, 16, 18 and 20.

VOLUME No. 107 COLUMBIA HAND KNITS

Dresses, two-piece suits, cardigans, sleeveless sweaters, evening blouses and the "ARROWHEAD" Indian coat.

VOLUME No. 106 COLUMBIA NOVELTY BOOK

New ideas in accessories, hats, purses, muffs, scarfs, bed jackets, beach shorts and halter, gloves, mittens, socks and knitting bags.

VOLUME No. 104 COLUMBIA BABY BOOK

Infant sets, sweaters, accessories, mother bed jackets with matching infant sacques and also children's garments up to size 5.

VOLUME No. 102 COLUMBIA AFGHAN BOOK

Fifteen knitted and crocheted afghans, including the two COLONIAL HEIRLOOM AFGHAN—THE CHESTERTOWN and THE MOUNT VERNON.

VOLUME No. 98 COLUMBIA MEN'S BOOK

A complete assortment of knitted sweaters, socks, gloves and scarfs for men.

Another Famous Product — Lees Carpets

JAMES LEES AND SONS COMPANY

Bridgeport, Penna.

NEW YORK OFFICE: 295 Fifth Ave.
New York 16, N. Y.

CHICAGO OFFICE: 222 N. Bank Drive
Chicago 54, Ill.

LOS ANGELES OFFICE: 714 S. Hill St.
Los Angeles 14, Calif.

CALIFORNIAN No. 1151

Instructions on page 20

JAMES LEES AND SONS CO.

Bridgeport, Pa.

Makers of fine Columbia Yarns

Lees

Another famous product . . . Lees Carpets